400 Seventh Street, S.W. Washington, D.C. 20590



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

82 **PSU**

CASE NO. 639 P

TYPE OF ACCIDENT SUBCOMPACT/PEDESTRIAN WALKING

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

> Vehicle #1 was westbound in the far left curb lane of a 4-lane, one-way street and attempting a left turn at an intersection onto a 2-way, 2-lane street. A pedestrian was walking westbound in a crosswalk and the front of Vehicle #1 impacted her from behind and from the right. The pedestrian wrapped on the hood and when the driver applied the brakes she slid down the hood and landed on her buttocks ahead of the vehicle.

B. PEDESTRIAN PROFILE												
Pedestrian			Treatment/	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)								
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source					
01	23	female	Treatment later	Lower Extrem.	Skin- other	1	FrontBumper					

Body Region

Head Face

Throat Chest

Abdomen/Pelvis Spine

Upper Extremity Lower Extremity

External

Type of Anatomic Structure

Whole Area Vessels Nerves **Organs** Skeletal Head-LOC

Skin-Other

Skin-Burn

Abbreviated Injury Scale

- (1) Minor injury
- (2) Moderate injury
- (3) Serious injury
- (4) Severe injury
- (5) Critical injury
- (6) Maximum (untreatable)
- (7) Injured, unknown severity

C. VEHICLE PROFILE

	Class		В	Most Severe Damage ased on Vehicle Inspection
Vehicle No.		Year/Make/Model	Damage Plane	Damage Description
01	Subcompact	93/Honda/Civic Del Sol	Front	Minor dents and smears

DO NOT SANITIZE THIS FORM



U.S. Department of Transportation

National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number

Case Number-Stratum 6 39 P

PEDESTRIAN ACCIDENT CO	DELISION DATA CO	ELECTION		
document reference point and reference line relative to physical features.	Surface Type	Shold	* north	SCALED DIAGRAM
* documentation of all accident induced physical evidence including (if applicable):	Surface Condition	_Web_		measurements for all applicable
a) vehicle skid marks b) pedestrian contacts with ground or	Coefficient of Friet	tion <u> </u>		ways.
object c) vehicle/pedestrian point of impact (POI)	Grade (v/h) Messu	gement	* scaled includ	d representations of the physical plant ding:
d) location of pedestrian separation point from vehicle	a) at impact b) between imp		cr m	ll road/roadway delineation (e.g., rosswalks, curbs/edge lines, lane larkings, medians, pavement markings,
f) final resting points (FRP) for pedestrian and vehicle	and final res	1, 4	p4	arked vehicles, poles, signs, etc.) I traffic controls (e.g., lights, signs)
documentation of the physical plant including:	Pedestrian Travel I Vehicle Travel Dire	Cartina .	* scaled	d representations of the vehicle and strian at pre-impact, impact, and final
all road/roadway delineation (e.g., crosswalks, curbs/edge lines, lane markings, medians, pavement markings,	Number of Travel I			pased upon either:
parked vehicles, poles, signs, etc.) b) all traffic controls (e.g., lights, signs)				physical evidence, or reconstructed accident dynamics
Reference Point: Light Pole Southeast Vorna o	ab (Interes	Reference line:	Fuzi	2 Pur Edy
Item	Y	Distance and Direc		Distance and Direction from Reference Line
aproximate P.	O.T.	4.5N		6,5W
<i>N</i>				
	1	1	,	
		·		
				i

Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
and the second s		
•		45.7 Land
		in the second
	•	A : 1
	,,	1,81m1
44		**************************************
		nedsat 1 1
		%
		2.35 13.
	•	
·	,	
·		
	•	



ACCIDENT COLLISION DIAGRAM U.S. Department of Transportation National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM Indid PSU No. Case Number-Stratum Nortl red 8 1 0 Refrence Pt



HS Form 431B (1/95)

ACCIDENT COLLISION DIAGRAM

National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM Indicate PSU No. Case Number-Stratum North 20.4 10-1 0

Scale: 1 centimeter = ___

Administration


U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN ACCIDENT FORM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

2. Case Number - Stratum



IDENTIFICATION

3. Number of General Vehicle Forms Submitted

0 1

4. Date of Accident (Month, Day, Year)



5. Time of Accident

Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (/) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

3	_SS15	Administrative Use	_0
---	-------	--------------------	----

7. <u>✓ SS16 Pedestrian Crash Data Study 1</u>

8. ___SS17 Impact Fires ____0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

0 1

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are <u>not</u> pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A <u>forward moving</u>, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's <u>only</u> impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS											
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage					
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14. 0	15.	16. <u>7 2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>					

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase \geq 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger vari (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

PEDESTRIAN ASSESSMENT FORM

Form Approved

	nal Highway Traffic Safety nietration	NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA.STUDY
1.	. Primary Sampling Unit Number	10. Pedestrian's Weight Code actual weight to the nearest kilogram.
2.	. Case Number - Stratum 6 7 P	(999) Unknown
3.	. Pedestrian Number <u>0 1</u>	kilograms
	PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4.	Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): (9) Unknown
5.	Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping
6.	Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	(7) Falling/stumbling or rising (8) Other (specify): (9) Unknown
_	70 inches X 2.54 = centimeters	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight
7.	Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown inches X 2.54 = centimeters	 (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road
8 .	Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	(07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify):
	inches X 2.54 = centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions
	Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. (999) Unknown	(1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other(specify):
	inches X 2 54 = centimeters	(9) Unknown

National Accident Sampling System-Crashworthiness Data System: Pedestrian Assessment Form PEDESTRIAN'S AVOIDANCE ACTIONS 18. Pedestrian's Arm Orientation at Initial Impact (01) At sides 15. Pedestrian's First Avoidance Actions (02) Folded across chest (00) No avoidance actions (03) Hands clasped behind back (01) Stopped (04) Hands on hips (02) Accelerated pace (05) Hands in pockets (03) Ran away (along vehicle path) (04) Jumped One or both arms: (05) Turned toward vehicle (06) Extended upward (06) Turned away from vehicle (07) Extended to side (07) Dove or fell away (08) Extended forward bracing (09) Extended, holding object Used hand(s) to: (briefcase, suitcase, etc.) (11) Vault corner of vehicle (10) Holding object (young child, (12) Vault onto vehicle grocery bag, etc.) in arm(s) (13) Brace against vehicle (11) Holding object (young child, grocery (14) Crouched and braced hands against bag, etc.) on shoulder(s) or head · vehicle (98) Other (specify):____ (98) Other (specify): (99) Unknown (99) Unknown 19. Pedestrian's Leg Orientation at Initial Impact (01) Together (02) Apart-laterally PEDESTRIAN'S ORIENTATION AT IMPACT (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown (06) Left foot off the ground 16. Pedestrian's Head Orientation (07) Right foot off the ground at Initial Impact (08) Both feet off the ground (1) To front (98) Other (specify): (2) To left (99) Unknown (3) To right (4) Up 20. Vehicle/Pedestrian's Interaction (5) Down (01) Carried by vehicle, wrapped position (8) Other (specify): (02) Carried by vehicle, slid to windshield (9) Unknown (03) Carried by vehicle, position unknown (04) Passed over vehicle top (05) Thrown straight forward 17. Pedestrian's Body (Chest) Orientation (06) Thrown forward and left of vehicle at Initial Impact (07) Thrown forward and right of vehicle (1) Facing vehicle (08) Knocked to pavement, forward (2) Facing away (09) Knocked to pavement, left of vehicle (3) Left side to vehicle (10) Knocked to pavement, right of vehicle (4) Right side to vehicle (11) Knocked to pavement, run over or (8) Other (specify): dragged by vehicle (9) Unknown (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, rotated (16) Snagged, dragged by vehicle

(17) Foot or legs run over (98) Other (specify):_

(99) Unknown

OFFICIAL RECORDS		INJURY CONSEQUENCES	
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	01	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown	9
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given Source:	76	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify): Nonfatal (3) Hospitalization	<u>(</u>
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown		(4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown 27. Type Of Medical Facility	.5
 24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown 		(for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown	L
	•	28. Hospital Stay (00) Not Hospitalized Code the number of days (up through that the pedestrian stayed in a hospital (61) 61 days or more (99) Unknown 29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown	

Tadema Accident Sampling System-Crashworthiness Dat	
STOP - VARIABLES 30 THROUGH 37 A	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured	34. 1st Medically Reported Cause of Death
(01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the	35. 2nd Medically Reported Cause of Death
initial GCS Score recorded at medical facility. (97) Injured, details unknown	36. 3rd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported
(99) Unknown if injured 31. Was the Pedestrian Given Blood?	injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes
(1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given	(96) Mode of death given but specific injuries are not linked to cause of death. (specify):
32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported	(97) Other result (includes fatal ruled disease) (specify):
(02-50) Code the actual value of the HCO ₃ (96) ABGs reported , HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured	37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian.
33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60)	(00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
(00) Not fatal (96) Fatal - ruled disease (99) Unknown	
ARE ALL APPLICABLE MEDICAL RECORDS	S INCLUDED WITH INITIAL SUBMISSION?
NO []	YES [\]
UPDATE CANDIDATE?	NO [/] YES []

U.S. Department of Transportation

National Highway Traffic Safety Administration

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

82

3. Pedestrian Number

0 1

2. Case Number - Stratum

<u>639 p</u>

4. Blank


INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. 7	6. 8	7. <u>9</u>	8.04	9. <u>0</u> 2	10.	11. <u>\</u>	12. <u>700</u>	13	14	15. 7	16	17
2nd	18.7	19. 8	20. <u>9</u>	21.04	22. <u>0</u> <u>2</u>	23. 1	24. 2	- 25. <u>700</u>	26.	27	28. 3	29. 2	30. 2
3rd	31.7	32. 🖠	33	34. <u>D</u> <u>U</u>	35. <u>)</u>	36	37. <u>d</u>	зв. <u>77</u> С	39. <u>/</u>	40. 👤	41.2	42. <u>3</u>	43. <u>3</u>
4th	44. 7	45. 7	46. 9	47. <u>0</u> 4	48. <u>0</u> Z	- 49. <u> </u>	50.	51. <u>77.0</u>	52	53	54. <u>2</u>	- 55. <u>3</u>	56. <u>3</u>
5th	57. 7	58	59. 4	60. <u>0 Z</u>	61. 78	62	63. <u>८</u>	64. <u>778</u>	65. 1	66.2	_{67.} <u>O</u>	<u>8</u> .89	69. <u>0</u>
6th	70. 7	71. <u>7</u>	72.	73. <u>0</u> 2	74. <u>D</u> Z	- 75. <u> </u>	_{76.} _2	-77. <u>9 U 7</u>	78	79. <u> -</u>	80. 🔼	81. <u>O</u>	82. 🕦
7th	83. 7	84. 7	85.	86.0 2	87. 2	88	89. 🖊	90. 47	91	92	930	94. <u>)</u>	95. <u>0</u>
8th	96.	97.	98	99	100	101	102	103	104	105	106	107	108
9th	109	110	111	112	113	114	115,	116,	117	118	119	120	121
10th	122	123	124	125	126	127	128	129	130	131	132	133	134

	PEDESTRIAN INJURY DATA												
of	Source Finjury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th							_						_
12th													_
13th 14th													
15th						÷	 -	-					
16th 17th										——————————————————————————————————————			
18th													<u>.</u>
19th													
20th 21st						— ————————————————————————————————————							
22nd						_		 	——————————————————————————————————————	 -		-	
23rd 24th									-				<u> </u>
25th						_							

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE **SOURCE OF INJURY DATA** (1) Certain (2) Probable (0) Injury not from vehicle contact OFFICIAL No damage/contact (1) Autopsy records with or without hospital/ Possible Scratch (Scuff, Cloth Transfer, Smear) medical records Unknown (3) Dent (2) Hospital/medical records other than Large deformation emergency room (e.g., discharge DIRECT/INDIRECT INJURY Cracked, fractured, shattered (5) summary) Direct contact injury Separated from vehicle Emergency room records only (including Indirect contact injury Noncontact injury associated X-rays or other lab reports) Noncontact injury Other specify: (7) Injured, unknown source Private physician, walk-in or emergency Unknown clinic STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) Injury not from vehicle contact No residual damage UNOFFICIAL (5) Lay coroner report Surface only damage (6) E.M.S. personnel Rounded (contoured) Crush depth > 0 to 2 centimeters Crush depth > 2 to 5 centimeters Rounded edge (7) Interviewee Sharp edge Other (specify): (5)(8) Other source (specify): Crush depth >5 to 10 centimeters Other specify:_ (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region Specific Anatomic Structure** Abbreviated Injury Scale Spine (02) Cervical (04) Thoracic Whole Area (02) Skin - Abrasion (04) Skin - Contusion (06) Skin - Laceration Head Minor injury (06) Lumbar Moderate injury Face (3) (3) (4) Serious injury Severe injury Neck Thorax Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 Abdomen (08) Skin - Avulsion Critical injury (6)Spine (10) Amputation (20) Burn (6) Maximum (untreatable) Upper Extremity (7)Injured, unknown severity Lower Extremity (30) Crush Level of Injury (40) Degloving (50) Injury - NFS Unspecified **Aspect** Specific injuries are consecutive two-digit beginning with 02. assigned (90) Trauma, other than mechanical Type of Anatomic Structure Right Left numbers (2) (3) (4) (5) Whole Area Bilateral <u> Head - LOC</u> (02) Length of LOC (04, 06, 08) Level of Consciousness To the extent possible, within the organizational framework of the AIS, 00 Central Anterior Vessels (3) Nerves organizational framework of the AIS, OU is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. (6) (7) (8) Organs (includes muscles/ (10) Concussion Posterior ligaments) Skeletal (includes joints) Superior Inferior Head - LOC Unknown Skin Whole region **INJURY SOURCE** FRONT Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify):_ 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): _ 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 801 Steering assembly/Front suspension 718 Other front or add on object 754 Right side glazing forward of B pillar (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission 758 Other right side object 805 Drive shaft Left Side Components (specify): 720 Front fender side surface 806 Catalytic converter 759 Unknown right side component 807 Muffler 721 Front antenna 722 A1 pillar 808 Floor pan 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 819 Unknown undercarriage component 728 Other pillar 768 Other back component (specify): _ (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 820 Air scoop, deflector 730 Left side door surface 731 Left side door handle 821 Cellular or CB radio antenna Top Components 770 Hood surface 822 Emergency lights or bar 732 Left side mirror fixed housing 823 Fog lights 733 Left side folding mirror 771 Hood surface reinforced by under hood 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 772 Front fender top surface 825 Cargo (specify):_ 735 Left side glazing rearward of B pillar 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 774 Wiper-blade & mountings 827 Spotlight 737 Rear antenna 828 Other accessory (specify):_ 738 Other left side object 775 Windshield glazing 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 779 Rear header 948 Other object (specify): Right Side Components 740 Front fender side surface 949 Unknown object in environment 780 Hatchback 781 Rear trunk lid 959 Unknown object on contacting vehicle 741 Front antenna 788 Other top component (specify): ___ 742 A1 pillar 997 Noncontact injury source 789 Unknown top component 999 Unknown injury source 743 A2 pillar

Restrained?

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

unavailable.)

Blood Alcohol Level

(mg/dl)

BAL =

Glasgow Coma Scale Score

GCSS = (

Units of Blood


Given


Units =

Arterial Blood Gases


 $PO_2 =$


PCO₂ HCO₃





Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)







U.S. Department of Transportation

FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

National Highway Traffic Safety Administration	PEDESTRIAN GENERA	AL VEHICLE
Primary Sampling Unit Num	ber & 2	
2. Case Number - Stratum	<u>4 P 6</u>	9. Police Rep
3. Vehicle Number	0 1	Code to the less than (
VEHICLE IDENTI	FICATION	(160)159. (999)Unkn
	0,7	mah
4. Vehicle Model Year Code the last two digits of	the model year	mph
(99) Unknown	1	0. Speed Lim (000) No
	27	Code poste in kmph
5. Vehicle Make (specify):	<u>5</u> T	(999) Unk
Applicable codes are found NASS PCDS Data Collection	in your n, Coding and	$\frac{25}{2}$ mph
Editing Manual. (99) Unknown	1	1. Police Rep
		(0) No ald (1) Yes al
0 1/1:1 14 11/0 1/1	031	(7) Not re (8) No dri
6. Vehicle Model (Specify):		(9) Unkno
Applicable codes are found NASS PCDS Data Collection Editing Manual.		2. Alcohol Te Code actua
(999) Unknown		before first (95) Test r
7. Body Type	09	(96) None (97) AC (A
Note: Applicable codes may	be found on	perfo
the back of this page.		(98) No dri (99) Unkno
8. Vehicle Identification Number	er	Source:
JHMEH6167P	S	3. Police Repo
1 2 3 4 5 6 7 8 9 10	11 12 13 14 15 16 17	For Driver (0) No otl
Left justify; Slash zeros and No VIN—Code all zeros	letter Z (Ø and Z)	(1) Yes o
Unknown—Code all nines		(8) No dri (9) Unkno
		, , , , , , , , , , , , , , , , , , , ,

	OFFICIAL RECORDS	
9.	Police Reported Travel Speed	199
	Code to the nearest kmph (NOTE: 000 less than 0.5 kmph) (160)159.5 kmph and above (999)Unknown	means
	mph X 1.6093 = kmph	17
10.	Speed Limit (000) No statutory limit Code posted or statutory speed limit in kmph (999) Unknown	24 <u>Q</u>
	$\frac{25}{2}$ mph X 1.6093 = kmph	
11.	Police Reported Alcohol Presence For D (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown	Oriver (
12.	Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknow	96
3.	Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown	
4.	Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained	<u>V</u>

(8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- 2-door sedan, hardtop, coupe
- 3-door/2-door hatchback (03)
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after), Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover,
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, \leq 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- Other light conventional truck type (45)
- (48)Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63)Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67)Truck-tractor with no cargo trailer (68)Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers (70) Truck-tractor (unknown if pulling trailer)
- Unknown medium/heavy truck type (78)
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91)Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown bs x .4536 = 1,033 kgs	18. Impact Speed Nearest kmph (NOTE: 000 means greater than .5 kmph) (160)159.5 kmph and above (999)Unknown
Source: 16. Vehicle Cargo Weight Code weight to nearest	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio (specify): (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify):

23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	(Specify):
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	(00) CIRIOWII
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	
(16) Turning right at intersection	(02) Braking (no lockup)
(17) Crossing over (passing through) intersection	(03) Braking (lockup)
(19) Unknown travel direction	(04) Braking (lockup unknown)
Other Motor Vehicle In Lane	(05) Releasing brakes
(50) Stopped	(06) Steering left
(51) Traveling in same direction with lower speed	(07) Steering right
(i.e., lower steady speed or decelerating)	(08) Braking and steering left
(52) Traveling in same direction with higher speed	(09) Braking and steering right
(53) Traveling in opposite direction	(10) Accelerating
(54) In crossover	(11) Accelerating and steering left
(55) Backing	(12) Accelerating and steering right
(59) Unknown travel direction of other motor vehicle	(98) Other action (specify):
in lane	(99) Unknown
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction)—over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction)—over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees
(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation
(64) From parking lane	(5) Skidding laterally—counterclockwise rotation
(65) From crossing street, turning into same direction	(8) Other vehicle loss-of-control (specify):
(66) From crossing street, across path	
(67) From crossing street, turning into opposite	(9) Precrash stability unknown
direction	20. 5
(68) From crossing street, intended path not known	26. Precrash Directional Consequences of
(70) From driveway, turning into same direction	Avoidance Maneuver (Corrective Action) (0) No driver present
(71) From driveway, across path	(0) No driver present (1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left
Pedestrian or Pedalcyclist, or Other Nonmotorist	travel lane where avoidance maneuver was
(80) Pedestrian in roadway	initiated
(81) Pedestrian approaching roadway	(5) Vehicle departed roadway
(82) Pedestrian—unknown location	(6) Avoidance maneuver initiated off roadway
	(9) Directional consequences unknown

	ENVIRONMENTAL DATA										
27.	Relation to Junction (0) Non-junction (1) Interchange area	33. Roadway Surface Condition (1) Dry (2) Wet									
	Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	(3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown									
	(6) Unknown type of non-interchange (9) Unknown if interchange	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)									
28.	Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown	Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify):									
29.	Number of Travel Lanes (1) One (2) Two (3) Three (4) Four	(6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify): (9) Unknown									
	(5) Five(6) Six(7) Seven or more(9) Unknown	35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown									
	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted									
	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown	(4) Dawn (5) Dusk (9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain									
	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	 (3) Sleet (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown 									
	(9) Unknown										

3	9 6		
	82 - 639		
(08/0		Ç., .
	193 Honde D./ Sol		-
	WB -2-++ Tura 23 yo =	:	
	ra,~;-		· · · · ·
	3-5~,~		
ago, a popular ago, a degli ago do calon al la salestición a consecuente de la Escolo estico estico estico est	f= 0,6 Stopp-dovilly gra-coul	<i>L</i>	-
		pork	_
<u> 19</u>	R/, = 0,55.c. F/B		- -
2 7	27 /0 /= Standing / +1.	- Dorling	≥
			.=
	Re/6s-	gy i dy i a constantina y mai dishaqidishadi a finda vilib di dhiri va Addishadi (Mila da i dhiri va Addishadi	-
	G/A R Knockly		-
	A L Knock/-s c Lhip c Lo- Loys		-
17 in the communication designation of a residence of states of the communication of the comm	POITO FRP = 4m-t-0 =13/t		
	1	2	-
 produce and administration of collected designs and are constructions referred administration. 	$5 = Vt + \frac{V^2}{2+g} = 13 = 0.5V + .0258V$.0258 $V^2 + 0.5^2V03 = 0$		-44
	·5 + 7(·5)2 - (4)(·0258)(-13)	and the control of the state of the Physical N. She, who waste date and the state of the state o	
· · · · · · · · · · · · · · · · · · ·	V= -8-1 7637 - (42 (10 20 8)(12)	ege <u>di manana dela menina dalam dal</u>	-
- and a second trade-on and decisions and a second control of the			
	= 14,7 fPS = 10mph = 16.1 KPh		
		1	* - 177
1.5.J		3,477	ngs Til
			- (3 / - (3 /
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	₹ ₹



U.S. Department of Transportation

National Highway Traffic Safety Administration PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

639 B

3. Vehicle Number

0 1

2. Case Number - Stratum

<u>634 p</u>

VEHICLE IDENTIFICATION

VIN JHMEH6167PS!

Model Year

Vehicle Make (specify):

Vehicle Model (specify):

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

 $\frac{103}{138} \text{ cm}$ $\frac{138}{141} \text{ cm}$

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead NO Load Flush

 $\frac{34}{5}$ cm cm cm cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening


PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield


PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact




HS Form 0435K (Rev. 7/94)


VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axies (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axies) from the ground:





NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axies (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of strictions, scuff on sidewalls, etc.).


Location of the origin (intercept point of the centerline and the front axies) from the ground:

PEDESTRIAN SIDE CONTACT WORK SHI	ET							
PEV06 Hood Material								
PEV08 Hood Length		cm						
PEV09 Hood Width-Forward Opening		cm						
PEV10 Hood Width-Midway		cm						
PEV11 Hood Width-Rear Opening		cm						
VERTICAL MEASUREMENTS								
PEV26 Ground Clearance								
PEV27 Side Bumper-Bottom Height		cm						
PEV28 Side Bumper-Top Height		cm						
PEV29 Centerline of Wheel		cm						
PEV30 Top of Tire		cm						
		cm						
PEV31 Top of Wheel Well Opening	 .	cm						
PEV32 Bottom of A-Pillar at Windshield		cm						
PEV33 Top of A-Pillar at Windshield		cm						
PEV34 Top of Side View Mirror		cm						
LATERAL MEASUREMENTS								
PEV35 C _L to A-Pillar at Bottom of Windshield		cm						
PEV36 C _L to A-Pillar at Top of Windshield		cm						
PEV37 C _L to Maximum Side View Mirror Protrusion		cm						
WRAP DISTANCES								
PEV38 Ground to Side/Top Transition		000						
PEV39 Ground to Hood Edge		cm ;						
PEV40 Ground to Centerline of Hood (ORIGIN)		cm						
PEV41 Ground to Head Contact		cm						
		cm						

ORIGINAL SPECIFICATIONS

	$C \in \mathcal{C}$					\ \ \ \ \ \
Wheelbase	$-\frac{7}{7}$	inches	X	2.54	=	$\frac{3}{2}$ cm
Overall Length	157.3	inches	x	2.54	=	<u> 40</u> <u>0</u> cm
Maximum Width	<u>_ b 6.7</u>	inches	x	2.54	=	<u> </u>
Curb Weight	7,2++	pounds	x	.4536	=	1,033 kg
Average Track	_529	inches	x	2.54	=	$\frac{1}{\sqrt{1+1}}$ cm
Front Overhang		inches	x	2.54	=	cm
Rear Overhang		inches	x	2.54	=	cm
Undeformed End Width		inches	x	2.54	-	cm
Engine Size: cyl./displ.		СС	x	.001	=	15
		CID	x	.0164	-	. [++

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axies (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

	Page 5											
				PO	INTS	OF PEDES	TRIAN CONTACT					
					4.		RONOLOGICAL O	9000audaudaudau				
	CONTACT	COMPONENT CONTACTED CODE	LORGITUDINAL LOCATION CQ	LATER LOCAT	RAL Tron	CRUSH	SUSPECTED BOOY REGION		ORTING PHYSICAL EVIDENCE		BICE LEV	
	1			6				+			2 3	9
	2				\sum_{i}		·	+		1 2		
<u> </u>	3					RU	0	1		1 2		9
_	4				/	5	>//			1 2	2 3	9
<u> </u>	5				(1	7	.01/			1 2	2 3	9
 	-				<u> </u>	The same	1 Ow,	,		1 2	2 3	9
 	7	——		<u> </u>		XX		Mr.		1 2	2 3	.8
 										1 2	3	9
 	10	 		<u> </u>						1 2	3	9
Щ										1 2	3	9
					CODE	S FOR COMPON	IENTS CONTACTED					
FRONT	<u>,</u>			743	B A2 pi	a lle r		Wheels	. f slung			
	-			744	B pill:	Har		790	Left front wheel/tire			
700 701		nper ver valance/spoiler		745 748				791 702				
702	Front grille	•		748		nur r piller (specify):		792 793		•		
703		e and/or trim		749	Right	t side roof rail		798	Other wheel/tire (specify):	·		
704 705		ement (fixed) ement (spring loaded)		750 751		t side door surfece		799	Unknown wheel/tire		_	
706	Headlight	, •		751 752		handle Laide mirror fixed ho	ومنصو	i ladage:				
707	Retractable	le headlight door (Open	n/Closed)			t side marror rixed no t side folding mirror	/usmg	Underca 800	erriage components Front crossmember			
708 719	Turn signal	eUparking lights		754	Right	side glazing forward		801	Steering assembly/Front s	uspension		
718	Other front (specify):	nt or add on object		755 756		side glazing rearwa antenna	ard of B piller	802	Oil pan	•		
719	Unknown f			757	Rear f	fender or querter pa		803 804	Exhaust system pipe Transmission			
·-4 6H				758	Other	r right side object (sp	specify):	805	Drive shaft			
LOTT OR	de Component	<u>ts</u>		759		own right side comp		808	Catalytic converter			
720	Front fend	ler side surface		Back Co	omeone.	a te		807 808	Muffler Floor pan			
721	Front enten			<u> </u>	IIIp	118		809	Floor pan Fuol tank			
722	•					(back) bumper		810	Rear suspension			
723 724	A2 piller B piller				"Teilget		•	818	Other undercarriage compo	nent		
	B pmer C piller			762 768		back, vertical surfac		210	(specify):			
728	D piller			789		back component (sp own back component		819	Unknown undercarriage co	mponent		
728	Other piller			• -	·	Wil butter berepennen.	1	Accessor	rieg			
728 730	Left side ro			Top Com	<u>nponent</u>	<u>.s</u>		820	Air scoop, deflector			
730 731	Left side do Door handle			770		•		821	Cellular or CB radio anteni	na .		
		ie nirror fixed hou sing				Surface reinforced by	···· daukaad nomnoment		Emergency lights or bar			
733	Left side fol	olding mirror				surface reinforced by fender top surface	by underhood component		Fog lights Luggage, ski, or bike rack			
		lazing forward of B pill		773	Cowi a	\$198			Cargo (specify):		:	
		lazing rearward of B pi				blade & mountings		826	Spare tire		•	
	Rear antenn	ack fender or quarter p na	panel		Windshi Frent h	hield glazing header			Spotlight			
		ride object (specify):			Reef su			828	Other accessory (specify):			
		oft side component				ght glazing		Other Ob	ject er Vehicle in Environme			
L. 64			-	779	Reer ho	eader			Other object in environment			
KINT SHE	de Component	<u>ts</u>			Hatchba	·			(specify):			
740	Front fonder	r side surface			Reer to	runk lid top component (spec	-14 A.		Unknown object in environm			
	Front entenn					Au tob combount (sbec	луг		Unknews ebject en contact Nescontact injury source	ing vehicle		

789 Unknown top compenent

997 Nencontact injury source

999 Unknown injury source

742 A1 piller

			POINT	S OF PEDES	STRIAN CON	ITACT PEDEST	RIAN # 1	
			P	EDESTRIAN	CONTACT	WORKSHEET PAG	GE	
	CONTACT I D LABEL	COMPONENT CONTACTED (CODE or OBJECT)	LONGITUDINAL LOCATION	LATERAL LOCATION	CRUSH IN CM	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT
9	EW	Surper	80	-7	Scul d	Dey	Tomascull	1 2 3 9
(A)	#w	11 001	84	-24	M	(hage	300.10.000	GD 2 3 9
3){	# 18	Hood tage	- + 2	-36	Scuffa	Ruckol	5 cuffe means	2 3 9
ئے	110		}3	-34	105	1 Ley	1/10	2 3 9
(ଜୁ	64	1 1	73 73	-13	Scuff	Buchos	Scuffee greated	(1') 2 3 9
GS	K 3	Hook	52	7340-21	1em	Buttocks	small dent	1)2 3 9
<u>~</u> 5	Q v		33	-37	Stouk	(1) ham	Skarps Contined Leg	$(1)_{2}$ 3 9
رکان	8		38	B		formed large	Smears & Hib	1) 2 3 9
	Jy		8	-99	Sto		Sunkus	1 2 3 9
	Cr		구	-30	Realed	- blem	200	1 2 3 9
	0		-99	-27			- Jacobio	2 3 9
3			- 50	-10	Saulto	Head	Location	1 2 3 9
3	<u>る</u> み		5	5	Strenk.	DARM	Swiping Streak	1 2 3 9
9	\		-26	10		0 1 4	DD Smoll Day	1/2 3 9
9	D \		<u> </u>	12	Elan	Buck Show	lde smoll Denx	1) 2 3 9
	Bw		9	78	Sta	O. Jam	Roll Roll.	2 3 9
(20)	Jw		-a0	47	of Reals	Should	on Hook and	1 2 3 9
	D _w		-25	39	Defeate	1	deport	1 2 3 9
	- V		<u> </u>	30		9		1 2 3 9
								1 2 3 9
			· · · · · · · · · · · · · · · · · · ·					1 2 3 9
								1 2 3 9
								1 2 3 9

POINTS OF PEDESTRIAN CONTACT -- PEDESTRIAN # 1

PEDESTRIAN CONTACT WORKSHEET PAGE

CONTACT I D LABEL	COMPONENT CONTACTED (CODE or OBJECT)	LONGITUDINAL LOCATION	LATERAL LOCATION	CRUSH IN CM	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT
WE	Bruges	140-60	ーン	Sculf	Bock of	Scultton	1 2 3 9
NA	Bunken	140-56	-24	3000	cego	9-1100-110	1 2 3 9
NE	Bood Els	e140 - 67	-36	Scull	Dea		1 2 3 9
P	· (, V	140-67	-24	16	0,0		1 2 3 9
101	L U	146-17	1	$-\Omega$			1 2 3 9
43	12 "	140-62	13				1 2 3 9
VK.	Hood	140-87	-13なーシー	1 cm	But		1 2 3 9
J. A.	Hood	733	-320	,	,		1 2 3 9
8	1	+38	13			1	1 2 3 9
47		8	-32		•	1000	1 2 3 9
70		も	-30		ਵ	, ed	1 2 3 9
QQ	<u> </u>	-32-	-22			14.	1 2 3 9
		-20	-10			, ,	1 2 3 9
2		5	5			V)0	1 2 3 9
4		->6	10			9	1 2 3 9
b		5	-4	0< 10	h	9	1 2 3 9
Elm.		\$6.00 A	R)	1 2 3 9
K W		25	13		(1 2 3 9
WB		9	28				1 2 3 9
[h		-30	47				1 2 3 9
WD		-25	35				1 2 3 9
							1 2 3 9
							1 2 3 9
-							1 2 3 9
				<u> </u>			1 2 3 9

	Page
VEHICLE DIMENSIONS	11. Hood Width Rear Opening
4. Original Wheelbase	Code to the
Code to the	nearest centimeter
nearest centimeter	(210) 210 centimeters or more
(999) Unknown	(999) Unknown
93.3 inches X 2.54 = centimeters	inches X 2.54 = centimeters
centimeters	
5. Original Average Track Width	12. Hood/Fender Vertical/Lateral Crush From
Code to the	Pedestrian
nearest centimeter	(0) Not damaged
(185) 185 centimeters or more	(1) Surface scratching only, no residual crush
(999) Unknown	(2) Minor crush (1-3 centimeters)
57.9 inches X 2.54 = centimeters	(3) Moderate crush (4-7 centimeters) (4) Severe crush (>7 centimeters)
centimeters	
	(8) Damage present, unknown if damage is from pedestrian impact
2	(9) Unknown
6. Hood Material	
(1) Plastic	13. Windshield Contact Damage
(2) Fiberglass (3) Steel	From Pedestrian Contact
(4) Aluminum	(0) Not contacted by pedestrian
(5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not
1	damaged
7. Hood Original	(4) Unknown if contacted by pedestrian -
Equipment Manufacturer (OEM)	damaged
(1) OEM factory installed hood	(9) Unknown if contacted by pedestrian -
(2) OEM replacement	unknown if damaged
(3) Non-OEM replacement	
(9) Unknown '	FRONT CONTACT DAMAGE
8. Hood Length	Front Vertical Measurements
Code to the	erone varuos nicespieniones
nearest centimeter	14. Front Bumper Cover Material
(180) 180 centimeters or more	(0) No front contact
(999) Unknown	(1) Plastic
(000) Christin	(2) Fiberglass
inches X 2.54 = centimeter _	(3) Rubber
	(4) Other (specify):
9. Hood Width Forward Opening	(9) Unknown
Code to the	45 5 B
nearest centimeter	15. Front Bumper Reinforcement Material
(210) 210 centimeters or more	(0) No front contact (1) Steel
(999) Unknown	(2) Aluminum
	(3) Stainless Steel
inches X 2.54 = centimeters	(4) Other (specify):
10. Hood Width Midway	(9) Unknown
Code to the	Q1 1 1
nearest centimeter	16. Front Bumper-Bottom Height
(210) 210 centimeters or more	Code to the
(999) Unknown	nearest centimeter
	(000) No front contact
inches X 2.54 = centimeters	(150) 150 centimeters or more
	(999) Unknown
	Total MARC
	inches X 2.54 = centimeters

70	Centerline of Wheel	ann	Side Lateral Measurements	
29.	Centerline of wheel Code to the nearest centimeter	スカカ		***** K
	(000) No side contact (150) 150 centimeters or more (999) Unknown		35. Centerline to A-Pillar at Bottom of Windshield (000) No side contact Code to the)
_	inches X 2.54 =	centimeters	nearest centimeter (250) 250 centimeters or more (999) Unknown	
30.	Top of Tire Code to the nearest centimeter	200	inches X 2.54 = centimeters	
	(000) No side contact (200) 200 centimeters or more (999) Unknown		36. Centerline to A-Pillar at Top of Windshield Code to the	<u>)</u>
21	inches X 2.54 = Top of Wheel Well Opening	centimeters	nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown	
31.	Code to the nearest centimeter (000) No side contact	200	inches X 2.54 = centimeter	
	(250) 250 centimeters or more (999) Unknown . inches X 2.54 =	centimeters	37. Centerline to Maximum Side View Mirror Protrusion Code to the	
	Bottom of A-Pillar at Windshield Code to the nearest centimeter	000	nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	
•	(000) No side contact (250) 250 centimeters or more (999) Unknown		inches X 2.54 = centimeter	*****
	inches X 2.54 =	centimeters	Side Wrap Distance Measurements	
	Top of A-Pillar at Windshield Code to the nearest centimeter	000	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact)
	(000) No side contact (300) 300 centimeters or more (999) Unknown		(400) 400 centimeters or more (999) Unknown	
	inches X 2,54 =	centimeters	inches X 2.54 = centimeters	
	Top of Side View Mirror Code to the nearest centimeter (000) No side contact	000	39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more	-
	(300) 300 centimeters or more (999) Unknown		(999) Unknown	
٠.	inches X 2.54 =	centimeters	inches X 2.54 = centimeters	

		· · · · · · · · · · · · · · · · · · ·				 raye .
40	(000) (700)	nd to Centerline of Hood (Or Code to the nearest centimeter No side contact 700 centimeters or more Unknown	rigim O O			
41.	(000) (800)	d to Head Contact Code to the nearest centimeter No side contact 800 centimeters or more Unknown	centimeters			
		inches X 2.54 =	centimeters			
				÷		
					·	·



82639F00000011 \$\inf\$ 958.0500000000000108100100001111095121495032196111095000000000 000000000000000 01 82639P00010012 958.051000000000101F72000 82639P00010021 8.05 0000000002321785109414606811018001806030109600965000402 10100000000007 82639P00010131 8.05 00000000078904021170011322 82639P00010231 8.05 000000000078904021270011322 82639P00010331 8.05 00000000078904021277011233 82639P00010431 8.05 00000000077904021177011233 82639P00010531 8.05 00000000076402781677012000 82639P00010631 8.05 00000000077902021294711000 82639P00010731 8.05 00000000077902021194711000 82639P01000041 62111015011131411221212 82639F01000051 8.05 000000002371473110309613814120310410510590116505117017

PSU82 CASE 639P CURRENT VERSION: 8.05

000000000000000

ERROR SUMMARY SCREEN PEDESTRIAN STUDY

2/96

FORM NAME	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	O	O	0	Υ
Pedestrian Assessment	O	0	()	Υ
Pedestrian Injury	O	O	0	Υ
Pedestrian General Vehic	1 e O	O	O	Υ
Pedestrian Exterior Vehi	cle O	0	O	Υ
Total Inter Errors		0	O	
Total Case Errors	0	0	0	